

Publications and notes in chronological order, Mads Tofte

Last updated: October 25, 2009

References

- [1] Mads Tofte. The IT University of Copenhagen News Service Version 2.0 (10th anniversary edition). <http://www.itu.dk/main/public-newsservice.pdf>, August 2009.
- [2] Mads Tofte. Standard ML language. *Scholarpedia*, 4(2):7515, 2009.
- [3] Mads Tofte. "Tips for Computer Scientists on Standard ML (Revised)". <http://www.itu.dk/people/tofte/publ/tips.pdf>, April 2008. Conforms to the 1990 Definition of Standard ML.
- [4] M. Tofte, L. Birkedal, M. Elsmann, and N. Hallenberg. A retrospective on region-based memory management. *Higher Order Symbolic Computation*, 17(2):245–265, 2004. <http://www.itu.dk/people/tofte/publ/restricted/2004hosc.pdf>.
- [5] Niels Hallenberg, Martin Elsmann, and Mads Tofte. Combining region inference and garbage collection. In *Proceedings of the ACM SIGPLAN-SIGACT 2002 Conference on Programming Language Design and Implementation*, pages 141–152. ACM Press, June 2002. <http://www.itu.dk/people/tofte/publ/pldi2002.pdf>.
- [6] Lars Birkedal and Mads Tofte. A constraint-based region inference algorithm. *Theoretical Computer Science*, 258(1-2):299–392, May 2001. <http://www.itu.dk/people/tofte/publ/restricted/2001tcs.pdf>.
- [7] Mads Tofte and Niels Hallenberg. Region-based memory management in perspective. In *Informal Proceedings of Workshop on Semantics, Program Analysis and Computing Environments for Memory Management (SPACE 2001)*. IT University of Copenhagen, 2001. <http://www.itu.dk/people/tofte/publ/space2001.pdf> (PDF).
- [8] Gordon Plotkin, Colin Stirling, and Mads Tofte. *Proof, Language, and Interaction; Essays in Honour of Robin Milner*. MIT Press, 2000.
- [9] Mads Tofte and Lars Birkedal. Unification and polymorphism in region inference. In Gordon Plotkin, Colin Stirling, and Mads Tofte, editors, *Proof*,

Language, and Interaction; Essays i Honour of Robin Milner, Foundation of Computing series, chapter 13, pages 389–423. MIT Press, 2000.

- [10] Mads Tofte. En ultrakort introduktion til skrivning af HTML-dokumenter. <http://www.itu.dk/people/tofte/publ/htmlkursus>, Oct. 2000.
- [11] Peter Harry Eidorff, Fritz Henglein, Christian Mossin, Henning Niss, Morten Heine Sørensen, and Mads Tofte. Annodomini in practice: A type-theoretic approach to the year 2000 problem. In J.-Y. Girard, editor, *Typed Lambda Calculi and Applications*, Lecture Notes in Computer Science, Vol. 1581, pages 6–13. Springer-Verlag, 1999. <http://www.itu.dk/people/tofte/publ/restricted/1999tlca.ps>.
- [12] Peter Harry Eidorff, Fritz Henglein, Christian Mossin, Henning Niss, Morten Heine Sørensen, and Mads Tofte. Annodomini: From type theory to year 2000 conversion tool. In *Proceedings on the 26th Symposium on the Principles of Programming Languages (POPL 99)*, 1999. <http://www.itu.dk/people/tofte/publ/1999popl.pdf>.
- [13] Mads Tofte, Lars Birkedal, Martin Elsman, Niels Hallenberg, Tommy Højfeldt Olesen, Peter Sestoft, and Peter Bertelsen. Programming with regions in the ML Kit (for version 3). Technical Report DIKU-TR-98/25, Dept. of Computer Science, University of Copenhagen, 1998. <http://www.itu.dk/people/tofte/publ/1998diku98-25.pdf>.
- [14] Mads Tofte and Lars Birkedal. A region inference algorithm. *Transactions on Programming Languages and Systems (TOPLAS)*, 20(4):734–767, July 1998. <http://www.itu.dk/people/tofte/publ/restricted/1998toplas.ps> (Postscript).
- [15] Mads Tofte. A brief introduction to regions. In *Proceedings on the 1998 International Symposium on Memory Management*, 1998. <http://www.itu.dk/people/tofte/publ/restricted/1998issm.pdf>.
- [16] Mads Tofte, Lars Birkedal, Martin Elsman, Niels Hallenberg, Tommy Højfeldt Olesen, Peter Sestoft, and Peter Bertelsen. Programming with regions in the ML Kit. Technical Report DIKU-TR-97/12, Dept. of Computer Science, University of Copenhagen, 1997. (<http://www.diku.dk/research-groups/topps/activities/kit2>).
- [17] Mads Tofte and Jean-Pierre Talpin. Region-based memory management. *Information and Computation*, 132(2):109–176, 1997. <http://www.itu.dk/people/tofte/publ/restricted/1997infocomp.ps> (Postscript).
- [18] Robin Milner, Mads Tofte, Robert Harper, and David MacQueen. *The Definition of Standard ML (Revised)*. MIT Press <http://mitpress.mit.edu/0262631814>, 1997.

<http://www.itu.dk/people/tofte/publ/restricted/1997sml.pdf>
(PDF) and <http://www.itu.dk/people/tofte/publ/restricted/1997sml.ps>
(Postscript).

- [19] Mads Tofte. Essentials of Standard ML modules. In John Launchbury, Eric Meijer, and Tim Sheard, editors, *Advanced Functional Programming*, volume 1129 of *Lecture Notes in Computer Science*, pages 208–238. Springer-Verlag, 1996. <http://www.itu.dk/people/tofte/publ/restricted/1996oregon.pdf>.
- [20] Lars Birkedal, Mads Tofte, and Magnus Vejlstrup. From region inference to von Neumann machines via region representation inference. In *Proceedings of the 23rd ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, pages 171–183. ACM Press, January 1996. <http://www.itu.dk/people/tofte/publ/1996pop1.pdf> (PDF), <http://www.itu.dk/people/tofte/publ/1996pop1.ps> (PS).
- [21] Mads Tofte. Principal signatures for higher-order program modules. *Journal of Functional Programming*, 4(3):285–335, July 1994.
- [22] Lars Thorup and Mads Tofte. Object-oriented programming and Standard ML. In John H. Reppy, editor, *Record of the 1994 ACM SIGPLAN Workshop on ML and its Applications, Orlando, Florida*, number 2265 in *Rapport de recherche*, pages 41–49. INRIA, June 1994.
- [23] David B. MacQueen and Mads Tofte. A semantics for higher-order functors. In Donald Sannella, editor, *Proceedings of the 5th European Symposium on Programming (ESOP)*, volume 788 of *Lecture Notes in Computer Science*, pages 409–423. Springer-Verlag, 1994.
- [24] Mads Tofte and Jean-Pierre Talpin. Implementing the call-by-value lambda-calculus using a stack of regions. In *Proceedings of the 21st ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, pages 188–201. ACM Press, January 1994. <http://www.itu.dk/people/tofte/publ/pop194.ps> (Postscript) and <http://www.itu.dk/people/tofte/publ/pop194.pdf> (PDF).
- [25] Mads Tofte. ”Tips for Computer Scientists on Standard ML”. <http://www.itu.dk/people/tofte/publ/tips93.ps.gz>, December 1993. Obsolete: superseded by 2008 version.
- [26] Mads Tofte and Jean-Pierre Talpin. A theory of stack allocation in polymorphically typed languages. Technical Report DIKU-report 93/15, Department of Computer Science, University of Copenhagen, 1993.
- [27] Lars Birkedal, Nick Rothwell, Mads Tofte, and David N. Turner. The ML Kit (Version 1). Technical Report DIKU-report 93/14, Department of Computer Science, University of Copenhagen, Universitetsparken 1, DK-2100 Copenhagen, 1993.

- [28] Mads Tofte and Jean-Pierre Talpin. Data region inference for polymorphic functional languages (technical summary). Technical Report EMP/CRI/A-229, Ecole des Mines de Paris, 1992.
- [29] Mads Tofte. Principal signatures for higher-order program modules. In *Proc. Principles of Programming Languages(POPL)*, pages 189–199, Jan. 1992. <http://www.itu.dk/people/tofte/publ/restricted/1992popl.pdf>.
- [30] Mads Tofte. Tutorial on Standard ML. Technical Report 91/18, Department of Computer Science (DIKU), University of Copenhagen, 1991. Presented at FPCA, Boston, 1991. Three parts: <http://www.itu.dk/people/tofte/publ/1991fpga/front.pdf>, <http://www.itu.dk/people/tofte/publ/1991fpga/root.pdf> and <http://www.itu.dk/people/tofte/publ/1991fpga/appendix.pdf>. Postscript versions: replace .pdf with .ps in paths.
- [31] Robin Milner and Mads Tofte. *Commentary on Standard ML*. MIT Press, 1991. <http://www.itu.dk/people/tofte/publ/1990sml/1990sml.html> (download page).
- [32] Robin Milner and Mads Tofte. Co-induction in relational semantics. *Theoretical Computer Science*, 87:209–220, 1991. <http://www.itu.dk/people/tofte/publ/restricted/1991tcs.pdf>.
- [33] Mads Tofte. Notes on code generation using Standard ML. Lecture Notes, DIKU, Feb. 1991.
- [34] Robin Milner, Mads Tofte, and Robert Harper. *The Definition of Standard ML*. MIT Press, 1990. <http://www.itu.dk/people/tofte/publ/1990sml/1990sml.html> (download page).
- [35] Mads Tofte. *Compiler Generators — What They Can Do, What They Might Do, and What They Will Probably Never Do*, volume 19 of *EATCS Monographs on Theoretical Computer Science*. Springer-Verlag, 1990.
- [36] Mads Tofte. Type inference for polymorphic references. *Information and Computation*, 89(1), November 1990. <http://www.itu.dk/people/tofte/publ/restricted/1990infocomppart1.pdf> and <http://www.itu.dk/people/tofte/publ/restricted/1990infocomppart2.pdf>.
- [37] Mads Tofte. Four lectures on Standard ML. LFCS Report Series ECS-LFCS-89-73, Laboratory for Foundations of Computer Science, Department of Computer Science, Edinburgh University, Mayfield Rd., EH9 3JZ Edinburgh, U.K., March 1989. <http://www.itu.dk/people/tofte/publ/fourlectures/four.html>.

- [38] Robert Harper, Robin Milner, and Mads Tofte. The Definition of Standard ML, version 3. Technical Report ECS-LFCS-89-81, Laboratory for Foundations of Computer Science, Department of Computer Science, Edinburgh University, The King's Buildings, Mayfield Rd., EH9 3JZ Edinburgh, U.K., 1989.
- [39] Andrew Appel, David MacQueen, Robin Milner, and Mads Tofte. Unifying exceptions with constructors in standard ml. LFCS Report Series ECS-LFCS-88-55, Laboratory for Foundations of Computer Science, Department of Computer Science, Edinburgh University, Mayfield Rd., EH9 3JZ Edinburgh, U.K., June 1988.
- [40] Robert Harper, Robin Milner, and Mads Tofte. The Definition of Standard ML, version 2. Technical Report ECS-LFCS-88-62, Laboratory for Foundations of Computer Science, Department of Computer Science, Edinburgh University, The King's Buildings, Mayfield Rd., EH9 3JZ Edinburgh, U.K., 1988.
- [41] Mads Tofte. *Operational Semantics and Polymorphic Type Inference*. PhD thesis, Edinburgh University, Department of Computer Science, Edinburgh University, Mayfield Rd., EH9 3JZ Edinburgh, May 1988. Available as Technical Report CST-52-88 and on <http://www.itu.dk/people/tofte/publ/phdthesis/thesis-part1and2.ps> (part 1 and 2) and <http://www.itu.dk/people/tofte/publ/phdthesis/thesis-part3.ps> (part 3).
- [42] Robert Harper, Robin Milner, and Mads Tofte. The Semantics of Standard ML, version 1. Technical Report ECS-LFCS-87-36, Laboratory for Foundations of Computer Science, Department of Computer Science, Edinburgh University, The King's Buildings, Mayfield Rd., EH9 3JZ Edinburgh, U.K., 1987.
- [43] Robert Harper, Robin Milner, and Mads Tofte. A type discipline for program modules. In *Proc. Int'l Joint Conf. on Theory and Practice of Software Development (TAPSOFT)*, pages 308–319. Springer-Verlag, Mar. 1987. Lecture Notes in Computer Science, Vol. 250.
- [44] Mads Tofte. Compiler generators — what they can do, what they might do and what they will probably never do. Technical Report 84/8, Datalogisk Institut, Københavns Universitet, 1984. Speciale.
- [45] Mads Tofte. Generering af en oversættergenerator. Technical Report 83/8, Datalogisk Institut, Københavns Universitet, 1983. Six parts: <http://www.itu.dk/people/tofte/publ/1983toftepart1.pdf> - <http://www.itu.dk/people/tofte/publ/1983toftepart6.pdf>.

This file: (Mads' X61s lenovo-maskine) My Documents\privat\mads\cv\publications.tex